



威光
MORIMITSU CO., LTD.

Valuable to use
SCISSORS & GRIPPERS
for sheet metal works

Morimitsu's scissors & grippers are produced based on the traditional Japanese steel manufacturing technique of craftsmen. Morimitsu has succeeded to realize the excellent sharpness and its unbelievable hardness and durability by the combination of Haisu steel and SLD steel which gain the highest fame of Japanese steel.





SCISSORS

MORIMITSU'S SCISSORS of exclusive use for sheet metal works

MORIMITSU CO.,LTD. was founded in 1929 as a producer of various machines and tools for sheet metal works of construction in Japan and since then have contributed greatly in this fields. In these long-established tradition, MORIMITSU'S sheets metal scissors & grippers are made by the combination of the tough body and the special steel blade and evaluated by the professional sheet metal craftsmen in its excellent sharpness and in its form of easy handling and have achieved No.1 sales in Japan.



SHIN-TATE-GIRI



CHOKUSEN-GIRI



YOKOBUKI-GIRI



TATE-EGURI



HAZE-W GIRI



MIKAZUKI



Magick



YANAGI-BA for copper sheets



CHOKU-BA for copper sheets



MARUNAMI-GIRI YANAGI-BA



TATE-EGURI



Magick



YOKOBUKI-GIRI



HAZE-W GIRI



CHOKUSEN-GIRI



MARUNAMI-GIRI CHOKU-BA



CHOKU-BA for copper sheets



YANAGI-BA for copper sheets

■ HAISU M1 Series

Using 「HITACHI HAISU STEEL」 which have a fame of its unbelieveable high hardness, the scissors of this series endure hard use maintaining sharpness of blades for many years.

Materials of Scissors

Body : Stainless Steel (SUS410)

Blade : HITACHI HAISUYXM1

Available materials of sheets

Color coated galvanized steel sheet

Galvalume steel sheet

Fluoric resin coated galvanized steel sheet

Stainless steel sheet

Color coated stainless steel sheet

Taitanium steel sheet

Slim YANAGI-BA 240

Model No. **HSTH-2624**

- Total length/260mm
- Length of blade/58mm
- Weight/400g

YANAGI-BA 240

Model No. **HSTH-0124**

- Total length/265mm
- Length of blade/60mm
- Weight/460g

Magick 240

Model No. **HSTH-1624**

- Total length/260mm
- Length of blade/60mm
- Weight/410g

TATE-GIRI 270

Model No. **HSTH-0927**

- Total length/290mm
- Length of blade/67mm
- Weight/620g



SCISSORS

Please refer to the INDEX 1 (p.12) as to the specifications of all items of this series.



YANAGI-BA 210

Model No. **HSTH-0121**

- Total length/240mm
- Length of blade/57mm
- Weight/360g



YANAGI-BA 270

Model No. **HSTH-0127**

- Total length/290mm
- Length of blade/70mm
- Weight/600g



CHU-ATSU-YANAGI-BA 270

Model No. **HSTH-0627**

- Total length/300mm
- Length of blade/60mm
- Weight/670g



YANAGI-BA 240 for left-handed

Model No. **HSTH-5124**

- Total length/265mm
- Length of blade/60mm
- Weight/450g



TATE-EGURI 180

Model No. **HSTH-9318**

- Total length/175mm
- Length of blade/30mm
- Weight/240g



EGURI 180

Model No. **HSTH-0218**

- Total length/190mm
- Length of blade/30mm
- Weight/250g



YOKOBUKI-GIRI 270

Model No. **HSTH-0827**

- Total length/290mm
- Length of blade/56mm
- Weight/610g



MIKAZUKI 270

Model No. **HSTH-2727**

- Total length/295mm
- Length of blade/85mm
- Weight/530g



**TATE-GIRI 270
for left-handed**

Model No. HSTH-5927

- Total length/290mm
- Length of blade/70mm
- Weight/600g



SHIN-TATE-GIRI 270

Model No. HSTH-2827

- Total length/295mm
- Length of blade/71mm
- Weight/630g



ATSUMONO-YANAGI-BA 270

Model No. HSTH-0427

- Total length/290mm
- Length of blade/50mm
- Weight/620g



TATE-GIRI 240

Model No. HSTH-0924

- Total length/265mm
- Length of blade/63mm
- Weight/420g



CHOKU-BA 330

Model No. HSTH-0033

- Total length/355mm
- Length of blade/90mm
- Weight/830g



ATSUMONO-CHOKU-BA 330

Model No. HSTH-0333

- Total length/350mm
- Length of blade/48mm
- Weight/900g



CHOKUSEN-GIRI 300

Model No. HSTH-2930

- Total length/310mm
- Length of blade/55mm
- Weight/770g



**CHOKU-BA 330
changable blade
system**

Model No. HSTK-0033

- Total length/335mm
- Length of blade/105mm
- Weight/750g



SCISSORS

Please refer to the INDEX 1 (p.12) as to the specifications of all items of this series.

STD- α Series

■ STD- α Series

Combined structure of the special steel blade and the tough α steel body can realize the sharpness of blade and make it possible to carry a power of grips easily to the blades.

Materials of Scissors

Body : Carbon steel (S55C)

Blade : HITACHI YASUKI Steel (SLD)

Available materials of sheets

Color coated galvanized steel sheet

Galvalume steel sheet

Fluoric resin coated galvanized steel sheet

Stainless steel sheet

Color coated stainless steel sheet

Titanium steel sheet

STD- α YANAGI-BA 240

Model No. HSAP-0124

- Total length/262mm
- Length of blade/61mm
- Weight/470g

STD- α Slim YANAGI-BA 240

Model No. HSAP-2624

- Total length/262mm
- Length of blade/58mm
- Weight/395g

STD- α YANAGI-BA 270

Model No. HSAP-0127

- Total length/287mm
- Length of blade/73mm
- Weight/600g

STD- α TATE-GIRI 270

Model No. HSAP-0927

- Total length/290mm
- Length of blade/75mm
- Weight/610g

SLD Series

The blade of this SLD series are made of 「SLD steel」used iron sand as its raw material and the scissors of this SLD series are widely used by the professional sheet metal craftsmen in processing galvalume steel sheets and stainless steel sheets smoothly and beautifully for the roofing and siding materials of buildings.

Materials of Scissors

Body : Supper mild steel (SAE1006)

Blade : HITACHI YASUKI Steel (SLD)

Available materials of sheets

Color coated galvanized steel sheet

Galvalume steel sheet

Fluoric resin coated galvanized steel sheet

Stainless steel sheet

Color coated stainless steel sheet

Copper sheet



YANAGI-BA 240

Model No. **HSLD-0124**

- Total length/265mm
- Length of blade/60mm
- Weight/450g



Slim YANAGI-BA 240

Model No. **HSLD-2624**

- Total length/260mm
- Length of blade/60mm
- Weight/400g



High-Power YANAGI-BA 240

Model No. **HSLD-3024**

- Total length/260mm
- Length of blade/60mm
- Weight/490g



YANAGI-BA 240 for left handed

Model No. **HSLD-5124**

- Total length/265mm
- Length of blade/60mm
- Weight/470g



CHOKU-BA 330

Model No. **HSLD-0033**

- Total length/350mm
- Length of blade/92mm
- Weight/800g



ATSUMONO-CHOKU-BA 300

Model No. **HSLD-0330**

- Total length/320mm
- Length of blade/48mm
- Weight/820g



CHU-ATSU-YANAGI-BA 270

Model No. **HSLD-0627**

- Total length/300mm
- Length of blade/58mm
- Weight/670g



MIKAZUKI 270

Model No. **HSLD-2727**

- Total length/295mm
- Length of blade/85mm
- Weight/510g



TATE-GIRI 300

Model No. **HSLD-0930**

- Total length/325mm
- Length of blade/90mm
- Weight/670g



SCISSORS

Please refer to the INDEX 1 (p.12) as to the specifications of all items of this series.

SLD Series



Magick 240

Model No. HSLD-1624

- Total length/265mm
- Length of blade/60mm
- Weight/410g



TATE-EGURI 210

Model No. HSLD-9321

- Total length/220mm
- Length of blade/37mm
- Weight/340g



EGURI 180

Model No. HSLD-0218

- Total length/195mm
- Length of blade/30mm
- Weight/240g



CHOKUSEN-GIRI 300

Model No. HSLD-2930

- Total length/310mm
- Length of blade/55mm
- Weight/750g



**USUMONO
CHOKUSEN-GIRI 320**

Model No. HSLD-2932

- Total length/320mm
- Length of blade/75mm
- Weight/640g



HAZE-W GIRI 240

Model No. HSLD-1824

- Total length/250mm
- Length of blade/30mm
- Weight/430g



**ATSUMONO
YANAGI-BA 360**

Model No. HSLD-0436

- Total length/380mm
- Length of blade/50mm
- Weight/1150g



Duckt 480

Model No. HSLD-2048

- Total length/505mm
- Length of blade/80mm
- Weight/1870g

Special Scissors for copper sheets



**YANAGI-BA 210
for copper sheets**

Model No. HSLD-9121

- Total length/220mm
- Length of blade/55mm
- Weight/200g



**YANAGI-BA 240
for copper sheets**

Model No. HSLD-9124

- Total length/260mm
- Length of blade/65mm
- Weight/310g



**CHOKU-BA 300
for copper sheets**

Model No. HSLD-9030

- Total length/335mm
- Length of blade/95mm
- Weight/440g

INDEX 1

- The items, referred a number in a column of page are the representative of the each series of the scissors and the grippers.
- In the column, ①SUTEN means the scissors for stainless steel sheet cut,
②DOO-BAN means the scissors for copper sheet cut,
③「thicker,middle,thinner」means approximate possible figures of cut in thickness of sheets,
④「The others」 refers each uses.

Scissors

Model NO.	Name	Total length (mm)	Length of blade (mm)	Weight (g)	Page
HAISU M1 Series					
HSTH-0121	YANAGI-BA 210	240	57	360	4
HSTH-0124	YANAGI-BA 240	265	60	460	3
HSTH-0127	YANAGI-BA 270	290	70	600	4
HSTH-2624	Slim YANAGI-BA 240	260	58	400	3
HSTH-0627	CHU-ATSU-YANAGI-BA 270	300	60	670	4
HSTH-0424	ATSUMONO-YANAGI-BA 240	255	40	550	
HSTH-0427	ATSUMONO-YANAGI-BA 270	290	50	620	5
HSTH-0430	ATSUMONO-YANAGI-BA 300	320	50	830	
HSTH-0433	ATSUMONO-YANAGI-BA 330	350	48	910	
HSTH-0436	ATSUMONO-YANAGI-BA 360	380	54	1110	
HSTH-0439	ATSUMONO-YANAGI-BA 390	405	54	1120	
HSTH-5121	YANAGI-BA 210 for left-handed	240	55	350	
HSTH-5124	YANAGI-BA 240 for left-handed	265	60	450	4
HSTH-5127	YANAGI-BA 270 for left-handed	300	70	600	
HSTH-0030	CHOKU-BA 300	320	78	700	
HSTH-0033	CHOKU-BA 330	355	90	830	5
HSTH-0036	CHOKU-BA 360	380	104	910	
HSTH-0333	ATSUMONO-CHOKU-BA 330	350	48	900	5
HSTH-0336	ATSUMONO-CHOKU-BA 360	385	55	1000	
HSTH-0339	ATSUMONO-CHOKU-BA 390	410	50	1110	
HSTH-5033	CHOKU-BA 330 for left-handed	355	90	780	
HSTH-0218	EGURI 180	190	30	250	4
HSTH-0221	EGURI 210	225	40	350	
HSLD-9318	TATE-EGURI 180	175	30	240	4
HSTH-0824	YOKOBUKI-GIRI 240	260	54	450	
HSTH-0827	YOKOBUKI-GIRI 270	290	56	610	4
HSTH-0924	TATE-GIRI 240	265	63	420	5
HSTH-0927	TATE-GIRI 270	290	67	620	3
HSTH-2827	SHIN-TATE-GIRI 270	295	71	630	5
HSTH-5927	TATE-GIRI 270 for left-handed	290	70	600	5
HSTH-2727	MIKAZUKI 270	295	85	530	4
HSTH-2930	CHOKUSEN-GIRI 300	310	55	770	5
HSTH-2932	USUMONO CHOKUSEN-GIRI 320	320	75	670	
HSTK-0033	CHOKU-BA 330 changable blade system	335	105	750	5
HSTK-9033	blade only (for CHOKU-BA 330)	—	105	—	
HSTH-1621	Magick 210	240	55	340	
HSTH-1624	Magick 240	260	60	410	3
HSTH-1627	Magick 270	285	65	530	
HSTH-1502	KAKUNAMI-GIRI 2	350	104	650	
HSTH-1577	KAKUNAMI-GIRI 27A	345	104	650	
HSTH-1333	MARUNAMI-GIRI 330	340	85	720	
HSTH-2048	Duckt 480	500	88	1850	


Model NO.	Name	Total length (mm)	Length of blade (mm)	Weight (g)	Page
SLD・α series					
HSAP-0124	MR-SLD・α YANAGI-BA 240	262	61	470	6
HSAP-2624	MR-SLD・α Slim YANAGI-BA 240	262	58	395	6
HSAP-0127	MR-SLD・α YANAGI-BA 270	287	73	600	6
HSAP-0927	MR-SLD・α TATE-GIRI 270	290	75	610	6

Model NO.	Name	Total length (mm)	Length of blade (mm)	Weight (g)	Page
SLD Series					
HSLD-0118	YANAGI-BA 180	205	45	230	
HSLD-0121	YANAGI-BA 210	230	55	350	
HSLD-0124	YANAGI-BA 240	265	60	450	7
HSLD-0127	YANAGI-BA 270	290	67	610	
HSLD-0130	YANAGI-BA 300	320	75	730	
HSLD-2624	Slim YANAGI-BA 240	260	60	400	7
HSLD-3024	High-Power YANAGI-BA 240	260	60	490	7
HSLD-3027	High-Power YANAGI-BA 270	285	65	630	
HSLD-0627	CHU-ATSU-YANAGI-BA 270	300	58	670	7
HSLD-0424	ATSUMONO-YANAGI-BA 240	260	43	530	
HSLD-0427	ATSUMONO-YANAGI-BA 270	290	50	620	
HSLD-0430	ATSUMONO-YANAGI-BA 300	320	48	850	
HSLD-0433	ATSUMONO-YANAGI-BA 330	350	50	890	
HSLD-0436	ATSUMONO-YANAGI-BA 360	380	50	1150	8
HSLD-0439	ATSUMONO-YANAGI-BA 390	415	52	1280	
HSLD-5121	YANAGI-BA 210 for left-handed	230	52	330	
HSLD-5124	YANAGI-BA 240 for left-handed	265	60	470	7
HSLD-5127	YANAGI-BA 270 for left-handed	290	70	600	
HSLD-0030	CHOKU-BA 300	320	80	700	
HSLD-0033	CHOKU-BA 330	350	92	800	7
HSLD-0036	CHOKU-BA 360	380	105	910	
HSLD-0327	ATSUMONO-CHOKU-BA 270	290	50	620	
HSLD-0330	ATSUMONO-CHOKU-BA 300	320	48	820	7
HSLD-0333	ATSUMONO-CHOKU-BA 330	350	48	900	
HSLD-0336	ATSUMONO-CHOKU-BA 360	385	51	1110	
HSLD-0339	ATSUMONO-CHOKU-BA 390	410	51	1120	
HSLD-5030	CHOKU-BA 300 for left-handed	320	80	690	
HSLD-5033	CHOKU-BA 330 for left-handed	355	90	790	
HSLD-9321	TATE-EGURI 210	220	37	340	8
HSLD-0218	EGURI 180	195	30	240	8
HSLD-0221	EGURI 210	225	40	350	
HSLD-0224	EGURI 240	255	35	560	
HSLD-0824	YOKOBUKI-GIRI 240	260	55	480	
HSLD-0827	YOKOBUKI-GIRI 270	290	55	610	
HSLD-0927	TATE-GIRI 270	290	70	630	
HSLD-0930	TATE-GIRI 300	325	90	670	7
HSLD-2827	SHIN-TATEGIRI 270	295	70	620	
HSLD-5927	TATE-GIRI 270 for left-handed	290	73	610	
HSLD-2727	MIKAZUKI 270	295	85	510	7
HSLD-1621	Magick 210	240	55	350	
HSLD-1624	Magick 240	265	60	410	8
HSLD-1627	Magick 270	290	70	530	
HSLD-2930	CHOKUSEN-GIRI 300	310	55	750	8
HSLD-2932	USUMONO CHOKUSEN-GIRI 320	320	75	640	8
HSLD-1333	MARUNAMI-GIRI 330	340	75	690	
HSLD-1824	HAZE-W GIRI 240	250	30	430	8
HSLD-3135	KAKUNAMI-Siding 35	355	110	810	
HSLD-2048	Duckt 480	505	80	1870	8

Special Scissors for copper sheets

HSLD-9121	YANAGI-BA 210 for copper sheets	220	55	200	8
HSLD-9124	YANAGI-BA 240 for copper sheets	260	65	310	8
HSLD-9030	YANAGI-BA 300 for copper sheets	335	95	440	8

INDEX 2



Scissors

Model NO.	Name	Total length (m/m)	Length of blade (m/m)	Weight (g)	A	B	C	Page
-----------	------	--------------------	-----------------------	------------	---	---	---	------

TERU MORIMITSU-KAKUNAMI Series

HSTM-1500	KAKUNAMI-GIRI 0	360	117	780	35	14	22	
HSTM-1501	KAKUNAMI-GIRI 1	340	95	630	33	9	17	
HSTM-1502	KAKUNAMI-GIRI 2	305	87	540	21	7	12	
HSTM-1552	KAKUNAMI-GIRI 2A	305	87	570	24	9	8	
HSTM-1562	KAKUNAMI-GIRI 2B	305	87	530	19	7	12	
HSTM-1503	KAKUNAMI-GIRI 3	305	84	540	20	8	12	
HSTM-1505	KAKUNAMI-GIRI 5	330	85	650	31	15	20	
HSTM-1506	KAKUNAMI-GIRI 6	315	95	540	23	7	12	
HSTM-1507	KAKUNAMI-GIRI 7	305	95	580	21	10	10	
HSTM-1508	KAKUNAMI-GIRI 8	310	108	520	19	10	9	
HSTM-1510	KAKUNAMI-GIRI 10	300	85	550	22	8	16	
HSTM-1511	KAKUNAMI-GIRI 11	310	95	580	25	7	16	
HSTM-1561	KAKUNAMI-GIRI 11A	315	95	590	25	8	16	
HSTM-1512	KAKUNAMI-GIRI 12	305	82	510	21	6	15	
HSTM-1513	KAKUNAMI-GIRI 13	310	95	580	25	7	15	
HSTM-1563	KAKUNAMI-GIRI 13A	310	95	560	27	7	17	
HSTM-1573	KAKUNAMI-GIRI 13B	315	94	570	23	7	15	
HSTM-1514	KAKUNAMI-GIRI 14	340	98	630	20	7	14	
HSTM-1564	KAKUNAMI-GIRI 14A	345	100	710	23	8	14	
HSTM-1515	KAKUNAMI-GIRI 15	305	88	580	8	6	8	

Model NO.	Name	Total length (m/m)	Length of blade (m/m)	Weight (g)	Page
-----------	------	--------------------	-----------------------	------------	------

KOTOBUKI MORIMITSU Series (Stainless Steel)

HSKO-0121	YANAGI-BA 210	220	50	320	
HSKO-0124	YANAGI-BA 240	245	55	400	
HSKO-0127	YANAGI-BA 270	280	70	550	
HSKO-0130	YANAGI-BA 300	320	80	610	
HSKO-0624	YANAGI-BA 240B	260	63	460	
HSKO-0627	YANAGI-BA 270B	290	70	600	
HSKO-0021	CHOKU-BA 210	220	54	270	
HSKO-0024	CHOKU-BA 240	250	65	400	
HSKO-0027	CHOKU-BA 270	285	70	490	
HSKO-0030	CHOKU-BA 300	315	85	560	
HSKO-0033	CHOKU-BA 330	345	90	810	
HSKO-0036	CHOKU-BA 360	385	100	880	
HSKO-0218	EGURI 180	195	32	230	
HSKO-0221	EGURI 210	225	40	350	
HSKO-0224	EGURI 240	250	50	400	
HSKO-0930	TATE-GIRI 300	315	85	600	
HSKO-1030	TATE-GIRI 270A	300	75	610	
HSKO-1127	TATE-GIRI 270B	290	72	630	
HSKO-1333	MARUNAMI-GIRI 330	340	90	600	
HSKO-1230	Rib-KIRI 300	310	95	510	

Names of Scissors and its usages

CHOKU-BA.....To cut sheets straight.

YANAGI-BA.....To cut straight and curved available for multiple use.

EGURI.....To cut sever curve line or/and hollow out of the sheets.

TATE-EGURI.....To hollow out smaller size hole or/and to be used where the scissors can not be kept level as a space of works are limited.

TATE-GIRI.....To cut processing sheets or/and flat sheets in lengthwise.

SHIN-TATE-GIRI.....Making improvement on TATEGIRI, to cut the sheet straight more smoothly and easily.

MIKAZUKI.....By improving the blade curve of TATEGIRI more big, SHINN-TATEGIRI can be used usefully to cut processing sheets in lengthwise as the scissors can be used vertically and worked easily and accurately.

YOKOBUKI-GIRI.....To cut and work the processing shingled sheet or/and to cut the parts of double shealed in crossways.

Magic.....To make figure of letters by cutting or to do art-cut as the scissors can cut the sheets in any direction easily by rotating the scissors.

SANTOKU-BASAMI.....Having same three functions of YANAGI-BA,EGURI and TATE-EGURI in one scissors for cutting thin copper sheets elaborately.

CHOKUSEN-GIRI.....Both right and left cut ends can be kept flat and smooth as reducing the bends of the sheets.

DOBAN-KIRI.....Because of the thin edge, both cut end parts of the sheet can be kept in flat and smooth as the scissors structure can reduce bends of sheet.

HAZE-KIRI.....Exclusive use of cutting the double sealed part of sheets and also to cut bending parts of stainless steel sheets.

Duct Scissors.....To cut thick galvalume steel sheet by one hand as weighing body-weight to the scissors.

MARUNAMI-GIRI.....To cut the corrugated sheets smoothly keeping the shape of corrugation.

KAKUNAMI-GIRI.....Exclusive use to cut the corrugated sheets in folding in square.

Rib-KIRI.....To cut sheets by fitting the shap of rib.

HIDARI-YO.....The scissors of exclusive use of left-handed craftsman. Shape of blade is in the reverse of right-handed.

STRUCTURE OF SCISSORS AND NAME OF ITS PARTS

The structure of the scissors is that two parts of bodys with steel blade are fixed firmly by a shaft named "KARA-KURI". MORIMITSU name a part of the scissors respectively as follows,

